

AmerisourceBergen SPECIFICATIONS	Document Title			
	AmerisourceBergen Serialized Data Exchange (EPCIS)			
	Document Number	Version Number	Effective Date	Page
	SSC-SPEC-002	6.1	02/25/2022	1 of 40
	Legacy Document: N/A			
	Content Owner: Manufacturer Operations, Matt Sample			

Contents of Document

- 1.0 Purpose 2
- 2.0 Scope 2
- 3.0 Acronyms and Definitions 2
- 4.0 Roles and Responsibilities 3
- 5.0 Process Map for On-Boarding 4
- 6.0 Procedure 5
 - 6.1 Manufacturing Scoping and Kickoff 5
- 7.0 B2B Technical Integration 5
 - 7.1 Testing and Staging Environments 5
 - 7.2 SAP Information Collaboration Hub 5
 - 7.3 Final EPCIS Testing 6
 - 7.4 Post Deployment Monitoring 6
- 8.0 Requirements 6
 - 8.1 General Process Flow 6
 - 8.2 General Requirements 7
 - 8.3 Data Required for Serialized Exchange 7
- 9.0 References 10
- 10.0 Revision History 10
- 11.0 Approvals 10
- 12.0 Appendix 11
 - 12.1 EPCIS Data Elements 11
 - 12.2 Packing Events 16
 - 12.3 Shipping Events 19
 - 12.4 EPCIS 1.1 Event Examples 26
 - 12.5 EPCIS 1.2 Event Examples 31
 - 12.6 Product Information Template 40
 - 12.7 Location Information Template 40

AmerisourceBergen SPECIFICATONS	Document Title			
	AmerisourceBergen Serialized Data Exchange			
	Document Number	Version Number	Effective Date	Page
	SSC-SPEC-002	6.1	02/25/2022	2 of 40

1.0 Purpose

The purpose of this document is to define the process and requirements for establishing inbound serialized data exchange, via EPCIS, with AmerisourceBergen and all its business units.

This procedure covers the following data exchange scenarios:

- Contract Manufacturers & Packagers – CMO/CPOs packaging on behalf of AmerisourceBergen businesses, required to exchange data to meet the 2017/2018 deadline.
- Saleable Returns – Manufacturers looking to test and exchange serial number data in order to support AmerisourceBergen’s 2019 saleable returns requirements.
- TI, TS Exchange – Manufacturers looking to test and exchange unit or lot level serialized Transaction Information and Transaction Statement information.
- Pilot Testing – Any trading partner wanting to test and pilot in preparation for any of the above scenarios.

2.0 Scope

This procedure applies to all AmerisourceBergen business units. This includes Full-Line Distribution Services, Specialty Distribution (businesses D.B.A. as: ASD, Besse, Oncology, and ICS Title), American Health Packaging (AHP), BluePoint Laboratories, TheraCom Distribution, US Bioservices (US Bio) and Animal Health VetOne.

3.0 Acronyms and Terms

The following are acronyms associated with this document:

Acronym	Definition
AS2	Application Statement 2
ASN	EDI 856 Advanced Ship Notification
ATTP	SAP Advanced Track and Trace Platform
DSCSA	Drug Supply Chain Security Act
EPCIS	Electronic Product Code Information Services
GLN	Global Location Number

CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

AmerisourceBergen SPECIFICATONS	Document Title			
	AmerisourceBergen Serialized Data Exchange			
	Document Number	Version Number	Effective Date	Page
	SSC-SPEC-002	6.1	02/25/2022	3 of 40

GTIN	Global Trade Item Number
GS1 US HC	Global Standards that define both the serialized barcode standards as well as serialized data exchange standards.
SGLN	Serialized Global Location Number
SOAP	Simple Object Access Protocol
SSCC	Serial Shipping Container Code
URI	Uniform Resource Identifier
URN	Uniform Resource Name

The following are terms associated with this document:

Term	Definition
GS1 US HC Guidelines	Global Standards that define both the serialized barcode standards as well as serialized data exchange standards.
Saleable Returns	A saleable return occurs when a pharmacy returns drug product to a wholesaler, and if there is evidence that the product has been handled properly, it can be re-sold.

4.0 Roles and Responsibilities

The following are the roles and responsibilities outlined in this document:

Role	Responsibility
AmerisourceBergen Data Exchange Team	Technical team that manages any technical exchange issues between AB, SAP Information Collaboration Hub, and the Manufacturer Data Exchange Team.
AmerisourceBergen Manufacturer Operations Team	Manages the initial engagement, planning and tracking of all on-boarding activities. Once on-boarded to production, Manufacturer Operations monitors all the inbound EPCIS transactions.
Manufacturer Data Exchange Team	Manufacturer team responsible for working with SAP and AB to establish connection, successful data transmission, and processing.


CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

DO NOT COPY WITHOUT WRITTEN PERMISSION FROM AMERISOURCEBERGEN

AmerisourceBergen SPECIFICATONS	Document Title			
	AmerisourceBergen Serialized Data Exchange			
	Document Number	Version Number	Effective Date	Page
	SSC-SPEC-002	6.1	02/25/2022	4 of 40

Role	Responsibility
SAP Information Collaboration Hub Onboarding Team	B2B solution provider that engages with each manufacturer data exchange teams to establish connections to the SAP Information Collaboration Hub.

5.0 Process Map for On-Boarding



CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

AmerisourceBergen SPECIFICATONS	Document Title			
	AmerisourceBergen Serialized Data Exchange			
	Document Number	Version Number	Effective Date	Page
	SSC-SPEC-002	6.1	02/25/2022	5 of 40

6.0 Procedure

6.1 Manufacturing Scoping and Kickoff

- 6.1.1 AmerisourceBergen Manufacturer Operations team will work with each manufacturer, one on one, to understand their strategy for serialized data exchange and timing associated with that strategy.
- 6.1.2 For those manufacturers interested in doing data exchange testing, the AmerisourceBergen Manufacturer Operations team will collect and track:
 - Business and technical contacts (email, phone) third party solutions provider, estimated timing to test connectivity, estimated timing to do a file exchange test, and estimated timing for production cutover
 - Required master data (GLNs, and GTINs); see Appendix 12.6 and 12.7 for templates
 - Sample EPCIS file to manually review for EPCIS compliance
- 6.1.3 Once all the required data is collected, the Secure Supply Chain Analyst will initiate the technical integration process with AmerisourceBergen’s data exchange and the SAP Information Collaboration Hub services team.

7.0 B2B Technical Integration

7.1 Testing and Staging Environments

For testing and data integrity purposes, AB recommends that manufacturers have one test/staging environment and one production environment be connected to the SAP Information Collaboration Hub.

7.2 SAP Information Collaboration Hub

The SAP Information Collaboration Hub team shall kickoff the on-boarding effort with the identified trading partner technical contacts and AmerisourceBergen’s Data Exchange team. Further process and technical requirements, such as approved certificates, will be communicated once confirmed that the manufacturer is ready for data exchange.

CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

AmerisourceBergen SPECIFICATONS	Document Title			
	AmerisourceBergen Serialized Data Exchange			
	Document Number	Version Number	Effective Date	Page
	SSC-SPEC-002	6.1	02/25/2022	6 of 40

7.3 Final EPCIS Testing

- 7.3.1 Once connectivity is established with the SAP Information Collaboration Hub, AmerisourceBergen requires that a test file be sent and verified in our ATTP staging environment prior to cutover to production.
- 7.3.2 The AB Manufacturer Operations team will work with the manufacturer to resolve any issues found with the EPCIS file, data content and/or format.
- 7.3.3 Once agreed upon test files are successfully tested, the Manufacturer Operations team will coordinate with the manufacturer on the date to start sending data to AmerisourceBergen’s production EPCIS repository.
- 7.3.4 The first production purchase order will be closely monitored and reviewed to ensure onboarding is successful and complete.


7.4 Post Deployment Monitoring

- 7.4.1 For those production deployments, AmerisourceBergen’s Manufacturer Operations team will monitor daily receipt of EPCIS messages and work with each manufacturer on any issues that occur.

8.0 Requirements

8.1 General Process Flow

This is a generic flow for product and serialized data.



CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

AmerisourceBergen SPECIFICATONS	Document Title			
	AmerisourceBergen Serialized Data Exchange			
	Document Number	Version Number	Effective Date	Page
	SSC-SPEC-002	6.1	02/25/2022	7 of 40

8.2 General Requirements

- 8.2.1 All serialized data shall be transmitted via GS1 EPCIS Messaging formats, complying with GS1 US HC guidelines. ASNs will not be supported for serialized information exchange.
- 8.2.2 AS2 or Web Services (SOAP) interfaces shall be used to interface to SAP Information Collaboration Exchange.
- 8.2.3 All serialized data shall be transmitted at, or shortly after the point of shipment from the manufacturer or contracted 3rd party logistics company.
- 8.2.4 It is recommended when sending multiple events, that all events come through in one file versus a separate file for each individual event type.

8.3 Data Required for Serialized Exchange

Data requirements vary based on the intent and purpose of data exchange. Refer to the introduction for definition of all four scenarios.

8.3.1 Accepted EPCIS Versions

The following version of EPCIS will be accepted for the indicated scenarios:

Version	CMO/CPO	Saleable Returns	TI, TS Exchange	Pilot Testing
EPCIS 1.1	Accepted	Accepted	Not Accepted	Accepted
EPCIS 1.2*	Accepted	Accepted	Accepted	Accepted

* EPCIS 1.2 is the preferred EPCIS Schema for AB and is the minimum requirement for wholesale suppliers.

8.3.2 EPCIS Events

The following EPCIS events are required for each scenario:

Event	CMO/CPO	Saleable Returns	TI, TS Exchange	Pilot Testing
Commissioning	Required	Required	Required	Required
Packing	Required If Aggregating	Required If Aggregating	Required	Optional
Shipping	Recommended	Required	Required	Optional
Decommissioning	Required if Repackaging	N/A	N/A	N/A

CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

AmerisourceBergen SPECIFICATONS	Document Title			
	AmerisourceBergen Serialized Data Exchange			
	Document Number	Version Number	Effective Date	Page
	SSC-SPEC-002	6.1	02/25/2022	8 of 40

8.3.3 Master Data Elements

The following elements of Master Data, contained in the EPCIS, are required for each scenario:

Event	CMO/CPO	Saleable Returns	TI, TS Exchange	Pilot Testing
Expire Date	Required	Required	Required	Required
Lot Number	Required	Required	Required	Required
DSCSA Product Master Data	Optional	Optional	Required	Optional
Purchase Order	Recommended	Optional	Required	Optional
Source List (sold from)	Recommended	Recommended	Required	Optional
Source List (ship from)	Recommended	Recommended	Required	Optional
Destination List (sold to)	Recommended	Recommended	Required	Optional
Destination List (ship to)	Recommended	Recommended	Required	Optional
Transaction Statement	Optional	Optional	Required	Optional
Direct Purchase Statement	Optional	Optional	Required (exclusive distributor only)	Optional

8.3.4 GLN Identifiers

These are the required GLN/SGLN identifiers to be used in specific events and transactions.

8.3.4.1 EPCIS Header

Required to use the AB Corporate SGLN, in URN format, for the receiver SGLN. This drives our reporting and data management process.

Example:

CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

AmerisourceBergen SPECIFICATONS	Document Title			
	AmerisourceBergen Serialized Data Exchange			
	Document Number	Version Number	Effective Date	Page
	SSC-SPEC-002	6.1	02/25/2022	9 of 40

```

<sbdh:Sender>
<sbdh:IdentifierAuthority="SGLN">urn:epc:id:sgln:030000.000000.0
</sbdh:Identifier> </sbdh:Sender>
<sbdh:Receiver>
<sbdh:IdentifierAuthority="SGLN">urn:epc:id:sgln:
0087701.00000.0</sbdh:Identifier> </sbdh:Receiver>

```

8.3.4.2 Shipping Master Data

Destination List – it's required to use the ABC corporate SGLN, in URN format, for the sold-to SGLN, not the actual physical ship-to location.
Example:

```

<destinationtype="urn:epcglobal:cbv:sdt:owning_party">urn:epc:id:
sgln:0087701.00000.0</destination>
<destinationtype="urn:epcglobal:cbv:sdt:location">urn:epc:id:sgl
n:0716163.01107.0</destination>

```

8.3.4.3 Purchase Order

Required to use the AB Corporate GLN as the prefix when sending PO Number in the BizTransaction. **Example:**

```

<bizTransaction
type="urn:epcglobal:cbv:btt:po">urn:epcglobal:cbv:bt:00877010000
03:01045011</bizTransaction>

```

For a list of all AmerisourceBergen GLNs and sGLNs please visit:
<http://publish.smartsheet.com/bea3b5e2e4d348328730ea21b552a24e>

8.3.5 Decommissioning Events

For those doing contract packaging on behalf of American Health Packaging, a separate EPCIS file is required that contains the decommissioning events for those products that were consumed as part of the repackaging processes.

CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

DO NOT COPY WITHOUT WRITTEN PERMISSION FROM AMERISOURCEBERGEN

AmerisourceBergen SPECIFICATONS	Document Title			
	AmerisourceBergen Serialized Data Exchange			
	Document Number	Version Number	Effective Date	Page
	SSC-SPEC-002	6.1	02/25/2022	10 of 40

9.0 References

N/A

10.0 Revision History

Version Number	Effective Date	Revision Details
1.0	01-JUN-2017	Initial Publication
2.0	24-JUN-2017	Updated examples to use AB identifiers and clarified required events and master data
3.0	15-SEPT-2017	Added decommissioning requirement
4.0	25-JAN-2018	Updated Shipping Event and PO requirement
5.0	25-JAN-2020	Edited Destination tables, clarified Event times and aggregation guidelines
6.0	08-OCT-2021	Reformatted to new rebranded template; added Acronym and Terms section; revised SSC Operations to Manufacturer Operations; removed reference to EPCIS Version 1.0; updated GLN with new AB address; added Approval section; updated Shipping Event Transaction Detail table in Appendix
6.1	24-FEB-2022	Update GLN/sGLN requirements

11.0 Approvals

Note: Approvals for FDA facing policies (DSCSA, REMS) will be signed via Pilgrim and a PDF uploaded into CompliancePoint.

Name	Title
Matt Sample	VP, Manufacturer Operations and Supply Chain
Steve Mays	VP, Regulatory Affairs
Neal Cooper	VP, Regulatory Affairs and Quality Systems
Johnnie Williams	VP, Enterprise Quality

CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

AmerisourceBergen SPECIFICATONS	Document Title			
	AmerisourceBergen Serialized Data Exchange			
	Document Number	Version Number	Effective Date	Page
	SSC-SPEC-002	6.1	02/25/2022	11 of 40


Name	Title
Ameer Ali	Sr Dir, Manufacturer Operations

12.0 Appendix

12.1 EPCIS Data Elements

Below are the key EPCIS events and data elements for, both version 1.1 and 1.2, and which ones are required and when. Please refer to the GS1 US Healthcare implementation guidelines for more information.

In accordance with GS1 guidelines, the figure below illustrates the relationships of Event Times. The “<” symbol indicates that the first Event Time must be strictly less than the second Event Time. These relationships only apply to pairs of events that pertain to the same physical objects (SGTIN or SSCC).



12.1.1 Commissioning Events

12.1.1.1 Standard Commissioning Event Elements

Note: Group all serial numbers for unique combination of GTIN + LOT + Exp Date in a single commissioning event with single time stamp in a given EPCIS file to AB & do NOT create one event for one serial number.

CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

AmerisourceBergen SPECIFICATIONS	Document Title			
	AmerisourceBergen Serialized Data Exchange (EPCIS)			
	Document Number	Version Number	Effective Date	Page
	SSC-SPEC-002	6.0	10/08/2021	12 of 40
	Legacy Document: N/A			
	Content Owner: Manufacturer Operations, Matt Sample			

Element	Type	Description	Example	CMO, Returns	TI, TS Exchange
eventTime	Timestamp	Timestamp of date/time when the event occurred. SHALL include a time zone indicator.	2013-10-01T22:08:02Z	Required	Required
eventTimeZoneOffset	String	Time zone offset where the event occurred	-04:00	Required	Required
recordTime	Timestamp	Date and time the event was recorded in an EPCIS repository.	2013-10-01T22:08:02Z	Optional	Optional
epcList	List of URI	EPC(s) of the commissioned item in EPC Pure Identity URI format. If more than one EPC is included, they should all have the same value for ILMD attributes defined below or should all require these attributes to be omitted. EPCs having different values for these attributes should be shared in different Commissioning events.	N/A	Required	Required
Action	String	ADD	Same as Desc	Required	Required
bizStep	URI	urn:epcglobal:cbv:bizstep:commissioning	Same as Desc	Required	Required
Disposition	URI	urn:epcglobal:cbv:disp:active	Same as Desc	Required	Required
readPoint	URI	EPC Pure Identity URI for the GLN of the location at which the event took place. Note this must be a SGLN, not just a GLN.	urn:epc:id:sgln:036800.111111.0	Optional	Optional
bizLocation	URI	EPC Pure Identity URI for the GLN of the location where the objects are presumed to be following the event Note this must be a SGLN, not just a GLN.	urn:epc:id:sgln:036800.111111.0	Required	Required

12.1.1.2 Instance / Lot Master Data

For EPCIS 1.2, The lotNumber and itemExpirationDate instance-level master data elements are now in the CBV standard namespace urn:epcglobal:cbv:mda, instead of the GS1US extension namespace: http://epcis.gs1us.org/hc/ns.

Element	Type	Description	Example	CMO, Returns	TI, TS Exchange
lotNumber	String	The lot or batch number for all of the EPCs in the epcList of the ObjectEvent.	AB1234	Required	Required
itemExpirationDate	Date	The expiration date for all of the EPCs in the epcList of the ObjectEvent, formatted as an xsd:date.	2019-03-31	Required	Required
tradeltemMasterData (EPCIS 1.1 ONLY)	Complex Type (see 6.2.3)	Use to capture DSCSA Master Data Elements	N/A	Optional	N/A – must use EPCIS 1.2

CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

DO NOT COPY WITHOUT WRITTEN PERMISSION FROM AMERISOURCEBERGEN

12.1.2 Trade Item Master Data

For EPCIS 1.2, the `tradeItemMasterData` instance-level master data element has been removed. Instead, product master data is carried in the EPCIS header rather than the Item/Lot Master Data (ILMD) section of the Commissioning event.

Element	Type	Description	Example	CMO, Returns	TI, TS Exchange
<code>additionalTradeItemIdentification</code>	String	The additional trade item identification associated with this GTIN.	68001012345	Optional	Required
<code>additionalTradeItemIdentificationTypeCode</code>	String	NDC in 11-digit format for DSCSA (New in EPCIS 1.2). AB will continue to support NDC442, NDC541, NDC532, NDC542	FDA_NDC_11	Optional	Required
<code>regulatedProductName</code> (EPCIS 1.1 – <i>drugName</i>)	String	The prescribed, regulated or generic product name or denomination that describes the true nature of the product and is sufficiently precise to distinguish it from other products according to country specific regulation.	GOODDRUG	Optional	Required
<code>manufacturerOfTradeItemPartyName</code> (EPCIS 1.1 – <i>manufacturerName</i>)	String	Party name information for the manufacturer of the trade item. For DSCSA, this should be the name of the NDA holder.	MY PHARMA	Optional	Required
<code>dosageFormType</code> (EPCIS 1.1 – <i>dosageForm</i>)	String	Standard forms of drugs (AEROSOL, CAPSULE, GEL, PILL, TABLET) as defined by the FDA. The FDA currently defines 143 dosage forms.	PILL	Optional	Required
<code>strengthDescription</code> (EPCIS 1.1 – <i>strength</i>)	String	Free text describing the strength or potency of the product, including the unit of measure (for example, 60 mg, 25 ml).	10mg	Optional	Required

CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

DO NOT COPY WITHOUT WRITTEN PERMISSION FROM AMERISOURCEBERGEN

Element	Type	Description	Example	CMO, Returns	TI, TS Exchange
netContentDescription (EPCIS 1.1 – containerSize)	String	Free text describing the number of units contained in a package of the product (for example, 60 Table, 100 ounces). This is also known as pack size.	500	Optional	Required

CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

DO NOT COPY WITHOUT WRITTEN PERMISSION FROM AMERISOURCEBERGEN

12.2 Packing Events

Element	Type	Description	Example	CMO, Returns	TI, TS Exchange
eventTime	Timestamp	Date and time of event. Must be later than the time reflected in the commissioning event. Date and Time must reflect chronological order of aggregation/packing events. Therefore, when an EPC is used as a parent and as a child, both events cannot reflect the same exact time stamp. For example, the time reflecting "eaches" being aggregated to a "case", shall be earlier than the eventTime this "case" is aggregated to a Pallet SSCC.	2012-03-26T17:10:16Z	Required	Required
eventTimeZoneOffset	String	Time zone offset in effect at the time and place where the event occurred.	-05:00	Required	Required
recordTime	Timestamp	Date and time the event was recorded in an EPCIS repository.	2013-10-01T22:08:02Z	Optional	Optional
parentID	URI	EPC of the outer container in EPC Pure Identity URI format. Note: a parent cannot exist without children.	urn:epc:id:sgtin:036800.1012345.2222223333	Required	Required
childEPCs	List of URI	EPC(s) of the item(s) being packed into the parent presented in EPC Pure Identity URI format.	N/A	Required	Required
action	String	ADD	Same as Desc	Required	Required
bizStep	URI	urn:epcglobal:cbv:bizstep:packing	Same as Desc	Required	Required
disposition	URI	urn:epcglobal:cbv:disp:in_progress	Same as Desc	Required	Required

CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

DO NOT COPY WITHOUT WRITTEN PERMISSION FROM AMERISOURCEBERGEN

Element	Type	Description	Example	CMO, Returns	TI, TS Exchange
readPoint	URI	EPC Pure Identity URI for the GLN of the location at which the event took place.	urn:epc:id:sgln:036800.111111.0	Optional	Optional
bizLocation	URI	EPC Pure Identity URI for the GLN of the location where the objects are presumed to be following the event. Note this must be a sGLN, not just a GLN.	urn:epc:id:sgln:036800.111111.0	Required	Required

CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

DO NOT COPY WITHOUT WRITTEN PERMISSION FROM AMERISOURCEBERGEN

Note: Within multi-level aggregation event, packager shall follow below rules:

- Child to Parent aggregation event time must be LESS than Parent to Grand Parent aggregation event time
- In below example, EA -> Bundle aggregation time must be LESS than Bundle -> Case aggregation event time.
- Similarly, Bundle -> Case aggregation time must be LESS than Case -> SSCC aggregation event time



CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

DO NOT COPY WITHOUT WRITTEN PERMISSION FROM AMERISOURCEBERGEN

12.3 Shipping Events

12.3.1 Standard Shipping Events

Element	Type	Description	Example	CMO, Returns	TI, TS Exchange
eventTime	Timestamp	Date and time of event (see Section 7.3). Please note that the Time stamp in Shipping Event cannot be earlier than Aggregation or Commissioning Event. Also, Time stamp in Shipping Event cannot be greater than current system time.	2012-03-26T17:10:16Z	Required	Required
eventTimeZone Offset	String	Time zone offset in effect at the time and place where the event occurred.	-05:00	Required	Required
recordTime	Timestamp	Date/ time event was recorded in an EPCIS repository.	2013-10-01T22:08:02Z	Optional	Optional
epcList	List of URI	The EPC(s) of the outermost containers in the packaging hierarchy. Most likely, SSCCs of Cases or Pallets.	N/A	Required	Required
action	String	OBSERVE	Same as Desc	Required	Required
bizStep	URI	urn:epcglobal:cbv:bizstep:shipping	Same as Desc	Required	Required
disposition	URI	urn:epcglobal:cbv:disp:in_transit	Same as Desc	Required	Required
readPoint	URI	EPC Pure Identity URI for the GLN of the location at which the event took place.	urn:epc:id:sgln:036800.111111.0	Optional	Optional
bizTransaction List	List of biz transactions	Business transactions governing this Shipping event, which may include a purchase order or an invoice (see section 6.4.4)	N/A	Required	Required

CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

DO NOT COPY WITHOUT WRITTEN PERMISSION FROM AMERISOURCEBERGEN

Element	Type	Description	Example	CMO, Returns	TI, TS Exchange
sourceList	List of sources	<p>Each source in the sourceList is a pair of URIs: one URI for the type and one URI for the value. The sourceList shall include one source of type urn:epcglobal:cbv:sdt:owning_party whose value is the EPC Pure Identity URI for the GLN of the transferring party. If the ship-from GLN is different from the transferring party's GLN, sourceList shall also include a second source of type urn:epcglobal:cbv:sdt:location whose value is the EPC Pure Identity URI of the ship-from GLN. Each GLN URI must match one of the companies in the company master data list.</p>	urn:epc:id:sgln:036800.111111.0 (see appendix for full XML example)	Optional	Required

CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

DO NOT COPY WITHOUT WRITTEN PERMISSION FROM AMERISOURCEBERGEN

Element	Type	Description	Example	CMO, Returns	TI, TS Exchange
destinationList	List of destinations	<p>Each destination in the destinationList is a pair of URIs: one URI for the type and one URI for the value.</p> <p>The destinationList shall include one destination of type urn:epcglobal:cbv:sdt:owning_party whose value is the EPC Pure Identity URI for the GLN of transfer-to party.</p> <p>If ship-to GLN is different from the transferto party's GLN, destinationList shall also include a second destination of type urn:epcglobal:cbv:sdt:location whose value is EPC Pure Identity URI of ship-to GLN.</p> <p>Each GLN URI must match one of the companies in the company master data list.</p>	urn:epc:id:sgln:0087701.00000.0 (see appendix for full XML example)	Optional	Required

CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

DO NOT COPY WITHOUT WRITTEN PERMISSION FROM AMERISOURCEBERGEN

12.3.2 Shipping Event Extension (Direct Purchase)

Element	Type	Description	Example	CMO, Returns	TI, TS Exchange
transactionDate	Timestamp	The date in which the transfer of ownership occurred. Due to operational differences, it is possible for the shipping date (event time) to be different than the transaction date	2012-03-27T17:10:16Z	Optional	Required
directPurchase	Complex Type	Used to indicate if products were purchased directly from the manufacturer, from the exclusive distributor of the manufacturer, or from a repackager that purchased directly from the manufacturer. - If the directPurchaseEPCs sub-element is omitted, the directPurchase field applies to all products in the shipment, including product contained inside the packages listed explicitly in the shipping event. - If directPurchaseEPCs sub-element is included, the directPurchase field applies only to those products whose identifiers are explicitly listed in the directPurchaseEPCs sub- element, including product contained inside packages listed explicitly in directPurchaseEPCs.	N/A	Optional	Required
@value	Boolean	True if products were purchased directly from the manufacturer, from the exclusive distributor of the manufacturer, or from a repackager that purchased directly from the manufacturer.	True	Optional	Optional

CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

DO NOT COPY WITHOUT WRITTEN PERMISSION FROM AMERISOURCEBERGEN

Element	Type	Description	Example	CMO, Returns	TI, TS Exchange
directPurchaseEPCs	List of URI	<p>If specified, limits the applicability of the directPurchase statement to the specified products or packages, including product contained inside any specified package.</p> <p>Each EPC shall either be:</p> <ul style="list-style-type: none"> - an EPC listed in the main epcList of this Shipping event, or - an EPC that is aggregated to one of the EPCs listed in the main epcList of this Shipping event. <p>If omitted, the directPurchase statement applies to all products in this Shipping event.</p>	EPC list	Optional	Required

CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

DO NOT COPY WITHOUT WRITTEN PERMISSION FROM AMERISOURCEBERGEN

12.3.3 Shipping Event Master Data

For EPCIS 1.2, the **companyMasterData** extension element has been removed. Instead, company master data is carried in the EPCIS header rather than as an event-level extension of the *Shipping* event. This avoids repetition when the same company appears in multiple *Shipping* events within the same EPCIS document.

Element	Type	Description	Example	CMO, Returns	TI, TS Exchange
Name (EPCIS 1.1 – companyName)	String	The name of the location or party expressed in text	My Pharma LLC	Optional	Required
streetAddressOne (EPCIS 1.1 – street1)	String	The first line of the street address.	3575 Zumstein Ave	Optional	Required
streetAddressTwo (EPCIS 1.1 – street2)	String	The second line of the street address.	Suite 101	Optional	Optional
streetAddressThree (EPCIS 1.1 – Did not exist, new in 1.2)	String	The third line of the street address.		Optional	Optional
City	String	The city.	Washington	Optional	Required
State (EPCIS 1.1 –stateOrRegion)	String	The state, province, or region using the standard two-letter abbreviation specified in ISO 31662:1998 country subdivision code.	PA	Optional	Required
postalCode	String	The ZIP or other postal code.	12345-6789	Optional	Required
countryCode (EPCIS 1.1 – country)	String	The country using the standard two-letter abbreviation specified in ISO 3166-1alpha2:1997 country code.	US	Optional	Required

CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

DO NOT COPY WITHOUT WRITTEN PERMISSION FROM AMERISOURCEBERGEN

12.3.4 Shipping Event Transaction Detail (Multiple POs) - EPCIS 1.2 Only

Event extensions transactionDate and directPurchase are added for DSCSA data requirements, specifically the ability to capture multiple POs on a shipment.

Element	Type	Description	Example	CMO, Returns	TI, TS Exchange
eventTime	Timestamp	Date and time of event (see Section 8.3). This should match the date and time of the corresponding Shipping event. Please note that the Time stamp in Shipping Event cannot be earlier than Aggregation or Commissioning Event. Also, Time stamp in Shipping Event cannot be greater than current system time.	2012-03-26T17:10:16Z	Required	Required
eventTimeZoneOffset	String	Time zone offset in effect at the time and place where the event occurred.	-05:00	Required	Required
recordTime	Timestamp	Date/ time event was recorded in an EPCIS repository.	2013-10-01T22:08:02Z	Optional	Optional
epcList	List of URI	- EPC Pure Identity URI for each object associated with the business transactions listed in this event. - If the EPC of a container is indicated, all of its contents are associated with the business transaction.	EPC List	Required	Required
action	String	ADD	Same is Desc	Required	Required
bizStep	URI	urn:epcglobal:cbv:bizstep:shipping	Same is Desc	Required	Required
disposition	URI	urn:epcglobal:cbv:disp:in_transit	Same is Desc	Required	Required
readPoint	URI	EPC Pure Identity URI for the GLN of the location at which the event took place. This should match the readPoint of the corresponding <i>Shipping</i> event.	urn:epc:id:sgln:036800.111111.0	Optional	Optional

CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

DO NOT COPY WITHOUT WRITTEN PERMISSION FROM AMERISOURCEBERGEN

Element	Type	Description	Example	CMO, Returns	TI, TS Exchange
bizTransaction List	List of biz transactions	Business transactions governing this Shipping Business Transaction Detail event, which may include a purchase order or an invoice. Each transaction is represented as a pair of URIs: one URI for the type and one URI for the value.	N/A	Required	Required

12.4 EPCIS 1.1 Event Examples

12.4.1 Commissioning

```

<epcis:EPCISDocument xmlns:gslushc="http://epcis.gs1us.org/hc/ns"
xmlns:epcis="urn:epcglobal:epcis:xsd:1" schemaVersion="1.1" creationDate="2012-03-25T17:10:16Z">
<EPCISBody>
  <EventList>
    <ObjectEvent>
      <eventTime>2012-03-25T17:10:16Z</eventTime>
      <eventTimeZoneOffset>-05:00</eventTimeZoneOffset>
      <epcList>
        <epc>urn:epc:id:sgtin:036800.0012345.10000000001</epc>
        <epc>urn:epc:id:sgtin:036800.1012345.2222222222</epc>
      </epcList>
      <action>ADD</action>
      <bizStep>urn:epcglobal:cbv:bizstep:commissioning</bizStep>
      <disposition>urn:epcglobal:cbv:disp:active</disposition>
      <readPoint>
        <id>urn:epc:id:sgln:036800.111111.0</id>
      </readPoint>
      <bizLocation>
        <id>urn:epc:id:sgln:036800.111111.0</id>
      </bizLocation>
      <extension>
        <ilmd>
          <gslushc:tradeItemMasterData>
            <gslushc:additionalTradeItemIdentification>

```

CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

DO NOT COPY WITHOUT WRITTEN PERMISSION FROM AMERISOURCEBERGEN

```
        <gslushc:additionalTradeItemIdentificationValue>6800112345</gslushc:additionalTrade
ItemIdentificationValue>
        <gslushc:additionalTradeItemIdentificationType>NDC442</gslushc:additionalTradeItemI
dentificationType>
        </gslushc:additionalTradeItemIdentification>
        <gslushc:drugName>My Drug</gslushc:drugName>
        <gslushc:manufacturer>My Pharma LLC</gslushc:manufacturer>
        <gslushc:dosageForm>PILL</gslushc:dosageForm>
        <gslushc:strength>100mg</gslushc:strength>
        <gslushc:containerSize>500</gslushc:containerSize>
        </gslushc:tradeItemMasterData>
        <gslushc:lotNumber>LOT123</gslushc:lotNumber>
        <gslushc:itemExpirationDate>2019-03-31</gslushc:itemExpirationDate>
    </ilmd>
    </extension>
    <gslushc:eventID>urn:uuid:f81d4fae-7dec-11d0-a765- 00a0c91e6bf6</gslushc:eventID>
    </ObjectEvent>
    </EventList>
    </EPCISBody>
</epcis:EPCISDocument>
```

CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

DO NOT COPY WITHOUT WRITTEN PERMISSION FROM AMERISOURCEBERGEN

12.4.1.1 Packing (Aggregation)

```
<epcis:EPCISDocument xmlns:gslushc="http://epcis.gslus.org/hc/ns"
xmlns:epcis="urn:epcglobal:epcis:xsd:1" schemaVersion="1.1" creationDate="2012-03-25T17:10:16Z">
<EPCISBody>
  <EventList>
    <AggregationEvent>
      <eventTime>2012-03-25T17:10:16Z</eventTime>
      <eventTimeZoneOffset>-05:00</eventTimeZoneOffset>
      <parentID>urn:epc:id:sgtin:036800.1012345.22222223333</parentID>
      <childEPCs>
        <epc>urn:epc:id:sgtin:036800.0012345.10000001001</epc>
        <epc>urn:epc:id:sgtin:036800.0012345.10000001002</epc>
        <epc>urn:epc:id:sgtin:036800.0012345.10000001003</epc>
      </childEPCs>
      <action>ADD</action>
      <bizStep>urn:epcglobal:cbv:bizstep:packing</bizStep>
      <disposition>urn:epcglobal:cbv:disp:in_progress</disposition>
      <readPoint>
        <id>urn:epc:id:sgln:036800.111111.0</id>      </readPoint>
      <bizLocation>
        <id>urn:epc:id:sgln:036800.111111.0</id>
      </bizLocation>
      <gslushc:eventID>urn:uuid:f81d4fae-7dec-11d0-a765-00a0c91e6bf6</gslushc:eventID>
    </AggregationEvent>
  </EventList>
</EPCISBody>
</epcis:EPCISDocument>
```

12.4.1.2 Shipping Event

```
<epcis:EPCISDocument xmlns:gslushc="http://epcis.gslus.org/hc/ns"
xmlns:epcis="urn:epcglobal:epcis:xsd:1" schemaVersion="1.1" creationDate="2012-03-25T17:10:16Z">
<EPCISBody>
  <EventList>
    <ObjectEvent>
      <eventTime>2012-03-25T17:10:16Z</eventTime>
      <eventTimeZoneOffset>-05:00</eventTimeZoneOffset>
      <epcList>
        <epc>urn:epc:id:sscc:036800.01234567890</epc>
      </epcList>
    </ObjectEvent>
  </EventList>
</EPCISBody>
</epcis:EPCISDocument>
```

CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

DO NOT COPY WITHOUT WRITTEN PERMISSION FROM AMERISOURCEBERGEN

```

    </epcList>
    <action>OBSERVE</action>
    <bizStep>urn:epcglobal:cbv:bizstep:shipping</bizStep>
    <disposition>urn:epcglobal:cbv:disp:in_transit</disposition>      <readPoint>
      <id>urn:epc:id:sgln:036800.111111.0</id>
    </readPoint>
    <bizTransactionList>
      <bizTransaction
type="urn:epcglobal:cbv:btt:inv">urn:epcglobal:cbv:bt:0368001111116:FNV123</bizTransaction>
      <bizTransaction
type="urn:epcglobal:cbv:btt:desadv">urn:epcglobal:cbv:bt:0368001111116:ASN12345</bizTransaction>
    <bizTransaction
type="urn:epcglobal:cbv:btt:po">urn:epcglobal:cbv:bt:0716163011226:0108763332</bizTransaction>
    </bizTransactionList>
    <extension>
      <sourceList>
        <source
type="urn:epcglobal:cbv:sdt:owning_party">urn:epc:id:sgln:036800.111111.0</source>
        <source type="urn:epcglobal:cbv:sdt:locaton">urn:epc:id:sgln:036800.111333.0</source>
      </sourceList>
      <destinationList>
        <destination
type="urn:epcglobal:cbv:sdt:owning_party">urn:epc:id:sgln:0087701.00000.0</destination>
        <destination type="urn:epcglobal:cbv:sdt:location
">urn:epc:id:sgln:0716163.01122.0</destination>
      </destinationList>      </extension>
      <gslushc:eventID>urn:uuid:f81d4fae-7dec-11d0-a765-00a0c91e6bf6</gslushc:eventID>
    <gslushc:companyMasterData>
      <gslushc:companyMasterDataRecord>
        <gslushc:identifier>urn:epc:id:sgln:036800.111111.0</gslushc:identifier>
        <gslushc:street1>3575 Zumstein Ave</gslushc:street1>
        <gslushc:street2>Suite 101</gslushc:street2>
        <gslushc:city>Washington</gslushc:city>
        <gslushc:stateOrRegion>PA</gslushc:stateOrRegion>
        <gslushc:postalCode>12345-6789</gslushc:postalCode>
      <gslushc:country>US</gslushc:country>      </gslushc:companyMasterDataRecord>
      <gslushc:companyMasterDataRecord>
        <gslushc:identifier> urn:epc:id:sgln:036800.111333.0</gslushc:identifier>
        <gslushc:street1>9999 Zumstein Ave</gslushc:street1>
        <gslushc:city>Washington</gslushc:city>

```

CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

DO NOT COPY WITHOUT WRITTEN PERMISSION FROM AMERISOURCEBERGEN

```
<gslushc:stateOrRegion>PA</gslushc:stateOrRegion>
<gslushc:postalCode>12345-6789</gslushc:postalCode>
<gslushc:country>US</gslushc:country>
</gslushc:companyMasterDataRecord>
<gslushc:companyMasterDataRecord>
  <gslushc:identifier>urn:epc:id:sgln:0087701.00000.0</gslushc:identifier>
  <gslushc:street1>1300 Morris Dr</gslushc:street1>
  <gslushc:city>Chesterbrook</gslushc:city>
  <gslushc:stateOrRegion>PA</gslushc:stateOrRegion>
  <gslushc:postalCode>19087-0000</gslushc:postalCode>
  <gslushc:country>US</gslushc:country>
</gslushc:companyMasterDataRecord>
<gslushc:companyMasterDataRecord>
  <gslushc:identifier>urn:epc:id:sgln:0716163.01122.0</gslushc:identifier>
  <gslushc:street1>6305 LaSalle Drive</gslushc:street1>
  <gslushc:city>Lockbourne</gslushc:city>
  <gslushc:stateOrRegion>OH</gslushc:stateOrRegion>
  <gslushc:postalCode>43137-0000</gslushc:postalCode>
  <gslushc:country>US</gslushc:country>
</gslushc:companyMasterDataRecord>
</gslushc:companyMasterData>
<gslushc:sourceLicenseList>
  <gslushc:licenseNumber state="PA" agency="SLN">0000001013</gslushc:licenseNumber>
</gslushc:sourceLicenseList>
</ObjectEvent>
</EventList>
</EPCISBody>
</epcis:EPCISDocument>
```

CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

DO NOT COPY WITHOUT WRITTEN PERMISSION FROM AMERISOURCEBERGEN

12.5 EPCIS 1.2 Event Examples

12.5.1 Commissioning

```
<?xml version="1.0"?>
<epcis:EPCISDocument xmlns:cbvmda="urn:epcglobal:cbv:mda" xmlns:epcis="urn:epcglobal:epcis:xsd:1"
schemaVersion="1.2" creationDate="2012-03-25T17:10:16Z">
  <EPCISHeader>
    <sbdh:StandardBusinessDocumentHeader>
      <sbdh:HeaderVersion>1.0</sbdh:HeaderVersion>
      <sbdh:Sender>
        <sbdh:Identifier Authority="SGLN">urn:epc:id:sgln:030000.000000.0</sbdh:Identifier>
      </sbdh:Sender>
      <sbdh:Receiver>
        <sbdh:Identifier Authority="SGLN">urn:epc:id:sgln:0716163.01122.0</sbdh:Identifier>
      </sbdh:Receiver>
      <sbdh:DocumentIdentification>
        <sbdh:Standard>EPCglobal</sbdh:Standard>
        <sbdh:TypeVersion>1.0</sbdh:TypeVersion>
        <sbdh:InstanceIdentifier>1234567890</sbdh:InstanceIdentifier>
      </sbdh:DocumentIdentification>
      <sbdh:Type>Events</sbdh:Type>
      <sbdh:CreationDateAndTime>2012-03-25T12:10:16-04:00</sbdh:CreationDateAndTime>
      </sbdh:DocumentIdentification>
    </sbdh:StandardBusinessDocumentHeader>
    <extension>
      <EPCISMasterData>
        <VocabularyList>
          <Vocabulary type="urn:epcglobal:epcis:vtype:EPCClass">
            <VocabularyElementList>
              <VocabularyElement id="urn:epc:idpat:sgtin:036800.0012345.*">
                <attribute
id="urn:epcglobal:cbv:mda#additionalTradeItemIdentification">68000012345</attribute>
                <attribute
id="urn:epcglobal:cbv:mda#additionalTradeItemIdentificationTypeCode">FDA_NDC_11</attribute>
                <attribute id="urn:epcglobal:cbv:mda#regulatedProductName">My Drug</attribute>
                <attribute id="urn:epcglobal:cbv:mda#manufacturerOfTradeItemPartyName">My Pharma
LLC</attribute>
                <attribute id="urn:epcglobal:cbv:mda#dosageFormType">PILL</attribute>
                <attribute id="urn:epcglobal:cbv:mda#strengthDescription">100mg</attribute>
                <attribute id="urn:epcglobal:cbv:mda#netContentDescription">500</attribute>
              </VocabularyElement>
            </VocabularyElementList>
          </Vocabulary>
        </EPCISMasterData>
      </extension>
    </EPCISHeader>
  </EPCISDocument>
</epcis:EPCISDocument>
```

CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

DO NOT COPY WITHOUT WRITTEN PERMISSION FROM AMERISOURCEBERGEN

```

        </VocabularyElement>
      </VocabularyElementList>
    </Vocabulary>
  </VocabularyList>    </EPCISMasterData>
</extension>
</EPCISHeader>
<EPCISBody>
  <EventList>
    <ObjectEvent>
      <eventTime>2012-03-25T10:10:16Z</eventTime>
      <eventTimeZoneOffset>-05:00</eventTimeZoneOffset>
      <epcList>
        <epc>urn:epc:id:sgtin:036800.0012345.100000000001</epc>
        <epc>urn:epc:id:sgtin:036800.0012345.100000000002</epc>
        <epc>urn:epc:id:sgtin:036800.0012345.100000000003</epc>
        <epc>urn:epc:id:sgtin:036800.1012345.222222222222</epc>
      </epcList>
      <action>ADD</action>
      <bizStep>urn:epcglobal:cbv:bizstep:commissioning</bizStep>
      <disposition>urn:epcglobal:cbv:disp:active</disposition>
      <readPoint>
        <id>urn:epc:id:sgln:036800.111111.0</id>
      </readPoint>
      <bizLocation>
        <id>urn:epc:id:sgln:036800.111111.0</id>
      </bizLocation>
      <extension>
        <ilmd>
          <cbvmda:lotNumber>LOT123</cbvmda:lotNumber>
          <cbvmda:itemExpirationDate>2019-01-31</cbvmda:itemExpirationDate>
        </ilmd>
      </extension>
    </ObjectEvent>
  </EventList>
</EPCISBody>
</epcis:EPCISDocument>

```

CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

DO NOT COPY WITHOUT WRITTEN PERMISSION FROM AMERISOURCEBERGEN

12.5.1.1 Packing (Aggregation)

```
<epcis:EPCISDocument xmlns:epcis="urn:epcglobal:epcis:xsd:1" schemaVersion="1.2"
creationDate="2012-06-26T17:10:16Z"> <EPCISBody>
  <EventList>
    <AggregationEvent>
      <eventTime>2012-06-26T17:10:16Z</eventTime>
      <eventTimeZoneOffset>-05:00</eventTimeZoneOffset>
      <parentID>urn:epc:id:sgtin:036800.1012345.22222223333</parentID>
      <childEPCs>
        <epc>urn:epc:id:sgtin:036800.0012345.10000001001</epc>
        <epc>urn:epc:id:sgtin:036800.0012345.10000001002</epc>
        <epc>urn:epc:id:sgtin:036800.0012345.10000001003</epc>
      </childEPCs>
      <action>ADD</action>
      <bizStep>urn:epcglobal:cbv:bizstep:packing</bizStep>
      <disposition>urn:epcglobal:cbv:disp:in_progress</disposition>
      <readPoint>
        <id>urn:epc:id:sgln:036800.111111.0</id>
      </readPoint>
      <bizLocation>
        <id>urn:epc:id:sgln:036800.111111.0</id>
      </bizLocation>
    </AggregationEvent>
  </EventList>
</EPCISBody>
</epcis:EPCISDocument>
```

12.5.2 Shipping Event (With TS and DPS)

```
<epcis:EPCISDocument xmlns:cbvmda="urn:epcglobal:cbv:mda" xmlns:epcis="urn:epcglobal:epcis:xsd:1"
schemaVersion="1.2" creationDate="2012-03-27T17:10:16Z">
  <EPCISHeader>
    <sbdh:StandardBusinessDocumentHeader>
      <sbdh:HeaderVersion>1.0</sbdh:HeaderVersion>    <sbdh:Sender>
        <sbdh:Identifier Authority="SGLN">urn:epc:id:sgln:030000.000000.0</sbdh:Identifier>
      </sbdh:Sender>
      <sbdh:Receiver>
        <sbdh:Identifier Authority="SGLN">urn:epc:id:sgln:0716163.01122.0</sbdh:Identifier>
      </sbdh:Receiver>
    </sbdh:StandardBusinessDocumentHeader>
  </EPCISHeader>
</epcis:EPCISDocument>
```

CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

DO NOT COPY WITHOUT WRITTEN PERMISSION FROM AMERISOURCEBERGEN

```

<sbdh:DocumentIdentification>
  <sbdh:Standard>EPCglobal</sbdh:Standard>      <sbdh:TypeVersion>1.0</sbdh:TypeVersion>
  <sbdh:InstanceIdentifier>123456789011</sbdh:InstanceIdentifier>
  <sbdh:Type>Events</sbdh:Type>
  <sbdh:CreationDateAndTime>2012-03-27T15:10:16-04:00</sbdh:CreationDateAndTime>
</sbdh:DocumentIdentification>
</sbdh:StandardBusinessDocumentHeader>  <extension>
<EPCISMasterData>
  <VocabularyList>
    <Vocabulary type="urn:epcglobal:epcis:vtype:Location">
      <VocabularyElementList>
        <VocabularyElement id="urn:epc:id:sgln:036800.111111.0">
          <attribute id="urn:epcglobal:cbv:mda#name">My Pharma LLC</attribute>
          <attribute id="urn:epcglobal:cbv:mda#streetAddressOne">3575 Zumstein Ave</attribute>
          <attribute id="urn:epcglobal:cbv:mda#streetAddressTwo">Suite 101</attribute>
          <attribute id="urn:epcglobal:cbv:mda#city">Washington</attribute>
          <attribute id="urn:epcglobal:cbv:mda#state">DC</attribute>
          <attribute id="urn:epcglobal:cbv:mda#postalCode">12345-6789</attribute>
          <attribute id="urn:epcglobal:cbv:mda#countryCode">US</attribute>
        </VocabularyElement>
        <VocabularyElement id="urn:epc:id:sgln:0087701.00000.0">
          <attribute id="urn:epcglobal:cbv:mda#name">AmerisourceBergen Corporation</attribute>
          <attribute id="urn:epcglobal:cbv:mda#streetAddressOne">1 West First Avenue</attribute>
          <attribute id="urn:epcglobal:cbv:mda#city">Conshohocken</attribute>
          <attribute id="urn:epcglobal:cbv:mda#state">PA</attribute>
          <attribute id="urn:epcglobal:cbv:mda#postalCode">19428-0000</attribute>
          <attribute id="urn:epcglobal:cbv:mda#countryCode">US</attribute>
        </VocabularyElement>
        <VocabularyElement id="urn:epc:id:sgln:0716163.01122.0">
          <attribute id="urn:epcglobal:cbv:mda#name">AmerisourceBergen Columbus DC</attribute>
          <attribute id="urn:epcglobal:cbv:mda#streetAddressOne">6305 LaSalle Drive</attribute>
          <attribute id="urn:epcglobal:cbv:mda#city">Lockbourne</attribute>
          <attribute id="urn:epcglobal:cbv:mda#state">OH</attribute>
          <attribute id="urn:epcglobal:cbv:mda#postalCode">43137-0000</attribute>
          <attribute id="urn:epcglobal:cbv:mda#countryCode">US</attribute>
        </VocabularyElement>
      </VocabularyElementList>
    </Vocabulary>
  </VocabularyList>
</EPCISMasterData>

```

CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

DO NOT COPY WITHOUT WRITTEN PERMISSION FROM AMERISOURCEBERGEN

```

</extension>
<gslushc:dscsaTransactionStatement>
  <gslushc:affirmTransactionStatement>true</gslushc:affirmTransactionStatement>
  <gslushc:legalNotice>Seller has complied with each applicable subsection of FDCA Sec.
581 (27) (A)-(G).</gslushc:legalNotice> </gslushc:dscsaTransactionStatement>
  <!--only used if an exclusive distributor>
  <gslushc:directPurchase value="true">
  <directPurchaseEPCs>
    <!-- Pallet#1 and all of its contents are directly purchased. The EPC below is the SSCC of
Pallet #1 -->
    <epc>urn:epc:id:sscc:036800.02468024680</epc>
    <!-- Pallet#2 contains 4 homogeneous cases but only case1 and case2 are directly purchased.
The two EPCs below are the SGTINs of those two cases. -->
    <epc>urn:epc:id:sgtin:036800.1123456.400</epc>
    <epc>urn:epc:id:sgtin:036800.1123456.401</epc>
  </directPurchaseEPCs >
  </gslushc:directPurchase>
</EPCISHeader>
<EPCISBody>
<EventList>
  <ObjectEvent>
    <eventTime>2012-03-27T15:10:16Z</eventTime>
    <eventTimeZoneOffset>-05:00</eventTimeZoneOffset>
    <epcList>
      <epc>urn:epc:id:sscc:036800.01234567890</epc>
    </epcList>
    <action>OBSERVE</action>
    <bizStep>urn:epcglobal:cbv:bizstep:shipping</bizStep>
    <disposition>urn:epcglobal:cbv:disp:in_transit</disposition>
    <readPoint>
      <id>urn:epc:id:sgln:036800.111111.0</id> </readPoint>
    <bizTransactionList>
      <bizTransaction
type="urn:epcglobal:cbv:btt:inv">urn:epcglobal:cbv:bt:0368001111116:INV123</bizTransaction>
      <bizTransaction
type="urn:epcglobal:cbv:btt:desadv">urn:epcglobal:cbv:bt:0368001111116:ASN12345</bizTransaction>
      <bizTransaction
type="urn:epcglobal:cbv:btt:po">urn:epcglobal:cbv:bt:0716163011226:0108763332</bizTransaction>
    </bizTransactionList>
  </ObjectEvent>
</EventList>
</EPCISBody>
</EPCISHeader>
</extension>

```

CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

DO NOT COPY WITHOUT WRITTEN PERMISSION FROM AMERISOURCEBERGEN

```
        <sourceList>
          <source type="urn:epcglobal:cbv:sdt:owning_party">urn:epc:id:sgln:036800.111111.0</source>
        </sourceList>
        <destinationList>
          <destination
            type="urn:epcglobal:cbv:sdt:owning_party">urn:epc:id:sgln:0087701.00000.0</destination>
          <destination type="urn:epcglobal:cbv:sdt:location ">urn:epc:id:sgln:0716163.01122.0</destination>
        </destinationList>
      </extension>
    </ObjectEvent>
  </EventList>
</EPCISBody>
</epcis:EPCISDocument>
```

CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

DO NOT COPY WITHOUT WRITTEN PERMISSION FROM AMERISOURCEBERGEN

12.5.3 Complex Shipping Business Transaction

This example shows how to capture a shipment containing 3 pallets with SSCCs and illustrates how to associate 2 Purchase Orders (POs) to the specific shipment content. - SSCC 00368000000001012 is the first pallet with all of its contents covered by PO# 010451234.

- SSCC 00368000000001029 is the second pallet with all of its contents covered by PO# 010454567.
- SSCC 00368000000001036 is the third pallet which contains 5 cases of which:
 - 2 cases (SGTINs with serials 401, 402) belong to PO# 010451234 and
 - 3 cases (SGTINs with serials 501, 502, 503) belong to PO# 010454567.

```
<?xml version="1.0" encoding="UTF-8"?>
<epcis:EPCISDocument xmlns:cbvmda="urn:epcglobal:cbv:mda" xmlns:epcis="urn:epcglobal:epcis:xsd:1"
schemaVersion="1.2" creationDate="2016-03- 15T10:11:16Z">
  <EPCISHeader>
    <sbdh:StandardBusinessDocumentHeader>...</sbdh:StandardBusinessDocumentHeader>
    <extension>
      <EPCISMasterData>
        <VocabularyList>
          <Vocabulary type="urn:epcglobal:epcis:vtype:Location">
            <VocabularyElementList>
              <VocabularyElement id="urn:epc:id:sgln:036800.111111.0">
                <attribute id="urn:epcglobal:cbv:mda#name">My Pharma LLC</attribute>
                <attribute id="urn:epcglobal:cbv:mda#streetAddressOne">3575 Zumstein Ave</attribute>
                <attribute id="urn:epcglobal:cbv:mda#streetAddressTwo">Suite 101</attribute>
                <attribute id="urn:epcglobal:cbv:mda#city">Washington</attribute>
                <attribute id="urn:epcglobal:cbv:mda#state">DC</attribute>
                <attribute id="urn:epcglobal:cbv:mda#postalCode">12345-6789</attribute>
                <attribute id="urn:epcglobal:cbv:mda#countryCode">US</attribute>
              </VocabularyElement>
              <VocabularyElement id="urn:epc:id:sgln:0087701.00000.0">
                <attribute id="urn:epcglobal:cbv:mda#name">AmerisourceBergen Corporation</attribute>
                <attribute id="urn:epcglobal:cbv:mda#streetAddressOne">1300 Morris Drive</attribute>
                <attribute id="urn:epcglobal:cbv:mda#city">Chesterbrook</attribute>
                <attribute id="urn:epcglobal:cbv:mda#state">PA</attribute>
                <attribute id="urn:epcglobal:cbv:mda#postalCode">19087-000</attribute>
                <attribute id="urn:epcglobal:cbv:mda#countryCode">US</attribute>
              </VocabularyElement>
            </VocabularyElementList>
          </Vocabulary>
        </EPCISMasterData>
      </extension>
    </EPCISHeader>
  </EPCISDocument>
```

CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

DO NOT COPY WITHOUT WRITTEN PERMISSION FROM AMERISOURCEBERGEN

```

        </VocabularyElement>
    </VocabularyElementList>
</Vocabulary>
</VocabularyList>
</EPCISMasterData>
</extension>
</EPCISHeader>
<EPCISBody>
    <EventList>
        <!-- Shipping event for 3 SSCCs 101, 102, and 103. Shipment is covered by 2 Purchase Orders
        (POs) #010451234 and #010454567. -->
        <ObjectEvent>
            <eventTime>2016-03-15T10:11:12Z</eventTime>
            <eventTimeZoneOffset>-05:00</eventTimeZoneOffset>
            <epcList>
                <epc>urn:epc:id:sscc:036800.00000000101</epc>
                <epc>urn:epc:id:sscc:036800.00000000102</epc>
                <epc>urn:epc:id:sscc:036800.00000000103</epc>
            </epcList>
            <action>OBSERVE</action>
            <bizStep>urn:epcglobal:cbv:bizstep:shipping</bizStep>
            <disposition>urn:epcglobal:cbv:disp:in_transit</disposition>
            <readPoint>
                <id>urn:epc:id:sgln:036800.111111.0</id>
            </readPoint>
            <bizTransactionList>
                <!-- Both PO# 1234 and PO#4567 are associated with this shipment -->
                <bizTransaction
type="urn:epcglobal:cbv:btt:po">urn:epcglobal:cbv:bt:0716163011226:010451234</bizTransaction>
                <bizTransaction
type="urn:epcglobal:cbv:btt:po">urn:epcglobal:cbv:bt:0716163011226:010454567</bizTransaction>
            </bizTransactionList>
            <extension>
                <sourceList>
                    <source type="urn:epcglobal:cbv:sdt:owning_party">urn:epc:id:sgln:036800.111111.0</source>
                </sourceList>
                <destinationList>
                    <destination
type="urn:epcglobal:cbv:sdt:owning_party">urn:epc:id:sgln:0087701.00000.0</destination>
                </destinationList>

```

CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

DO NOT COPY WITHOUT WRITTEN PERMISSION FROM AMERISOURCEBERGEN

```

    </extension>
  </ObjectEvent>
  <!-- Using a Transaction Event, record the shipping contents specifically associated with PO#
010451234 --> <TransactionEvent>
    <!-- Use the same eventTime in the transaction event as in the shipping event -->
    <eventTime>2016-03-15T10:11:12Z</eventTime>
    <eventTimeZoneOffset>-05:00</eventTimeZoneOffset>
    <bizTransactionList>
      <!-- Associate PO# 1234 to the EPCs in the business transaction -->
      <bizTransaction
type="urn:epcglobal:cbv:btt:po">urn:epcglobal:cbv:bt:0399999999991:010451234</bizTransaction>
    </bizTransactionList>
    <epcList>
      <epc>urn:epc:id:sscc:036800.00000000101</epc>
      <epc>urn:epc:id:sgtin:036800.1123456.401</epc>
    <epc>urn:epc:id:sgtin:036800.1123456.402</epc>
    </epcList>
    <action>ADD</action>
    <bizStep>urn:epcglobal:cbv:bizstep:shipping</bizStep>
    <disposition>urn:epcglobal:cbv:disp:in_transit</disposition>    <readPoint>
      <id>urn:epc:id:sgln:036800.111111.0</id>
    </readPoint>
  </TransactionEvent>
  <!-- Use the same eventTime in the transaction event as in the shipping event -->
  <TransactionEvent>
    <eventTime>2016-03-15T10:11:12Z</eventTime>
    <eventTimeZoneOffset>-05:00</eventTimeZoneOffset>
    <bizTransactionList>
      <!-- Associate PO# 010454567 to the EPCs in the business transaction -->
      <bizTransaction
type="urn:epcglobal:cbv:btt:po">urn:epcglobal:cbv:bt:0716163011226:010454567</bizTransaction>
    </bizTransactionList>
    <epcList>
      <epc>urn:epc:id:sgtin:036800.1123456.501</epc>
      <epc>urn:epc:id:sgtin:036800.1123456.502</epc>
      <epc>urn:epc:id:sgtin:036800.1123456.503</epc>
      <epc>urn:epc:id:sscc:036800.00000000102</epc>
    </epcList>
    <action>ADD</action>

```

CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

DO NOT COPY WITHOUT WRITTEN PERMISSION FROM AMERISOURCEBERGEN

```

<bizStep>urn:epcglobal:cbv:bizstep:shipping</bizStep>
<disposition>urn:epcglobal:cbv:disp:in_transit</disposition>
<readPoint>
  <id>urn:epc:id:sgln:036800.111111.0</id>
</readPoint>
</TransactionEvent>
</EventList>
</EPCISBody>
</epcis:EPCISDocument>

```

12.6 Product Information Template

GTIN	GS1 Company Prefix	UoM (Each, Inner Pack, Case, Etc)	Proprietary Name	Established Name (21 USC 352(e)(3))	Dosage Form	Quantity	Strength	NDC Code (11)	Contained QTY
00300123000018	0300123	Each	GoodDrug	Latinlikename	Tablet	30	150 mg	12345012916	N/A
30300123000012	0300123	Inner Pack	GoodDrug	Latinlikename	Tablet	30	150 mg	12345012916	6
40300123000013	0300123	Case	GoodDrug	Latinlikename	Tablet	30	150 mg	12345012916	48

12.7 Location Information Template

GLN	GS1 Company Prefix	GLN Name	Sold From or Ship From	Address	City	State	Zip Code
0087701000003	0087701	AmerisourceBergen Corporate	Sold From	1 West First Avenue	Conshohocken	PA	19428
0716163011363	0716163	AB Full Line Amityville	Ship From	5500 New Horizons Blvd	Amityville	NY	11701

CONFIDENTIAL – INTERNAL USE ONLY – This document contains confidential and proprietary information and is the exclusive property of AmerisourceBergen. Reproduction or distribution of this document outside of AmerisourceBergen, or modification of this document, or information contained within, is prohibited without the express written permission of AmerisourceBergen.

DO NOT COPY WITHOUT WRITTEN PERMISSION FROM AMERISOURCEBERGEN